

University of Science and Technology, and by the Air Force Research Laboratory through Universal Technology Corporation (Contract #10-S568-0094-01-C1). The technical support of Samuel Easley and Michael Hayes of Boeing Research & Technology is greatly appreciated.

8. References

- [1] A. Bandyopadhyay, P. Panda, M. Agarwala, S. Danforth, and A. Safari, "Processing of Piezocomposites by Fused Deposition Technique," *Journal of the American Ceramic Society*, Vol. 80, No.6, pp. 1366-1372, 2000.
- [2] S. Crump, "Apparatus and Method for Ceramic Three-Dimensional Objects," U.S. Patent No. 5121329, 1992.
- [3] G. Hilmas, J. Lombardi, and R. Hoffman, "Advances in the Fabrication of Functional Graded Materials Using Extrusion Freeform Fabrication," *Proceedings of Solid Freeform Fabrication Symposium*, Austin, TX, pp. 319-324, 1996.
- [4] M. Cima, M. Oliveira, H. Wang, E. Sachs, and R. Holman, "Slurry-Based 3DP and Fine Ceramic Components," *Proceedings of Solid Freeform Fabrication Symposium*, Austin, TX, 2001.
- [5] J. Kruth, P. Mercelis, L. Froyen, and M. Rombouts, "Binding Mechanisms in Selective Laser Sintering and Selective Laser Melting," *Proceedings of Solid Freeform Fabrication Symposium*, Austin, TX, 2004.
- [6] M. C. Leu, E. Adamek, T. Huang, G. E. Hilmas, and F. Dogan, "Freeform Fabrication of Zirconium Diboride Parts Using Selective Laser Sintering," *Proceedings of Solid Freeform Fabrication Symposium*, Austin, TX, 2008.
- [7] J. Stampfl, A. Cooper, R. Leitgeb, Y. Cheng, and F. Prinz, "Shape Deposition Manufacturing of Microscopic Ceramic and Metallic Parts Using Silicon Molds," U.S. Patent, No. 6242163, 2001.
- [8] J. Cesarano III, R. Segalmen, and P. Calvert, "Robocasting Provides Moldless Fabrication from Slurry Deposition," *Ceramics Industry*, Vol. 148, pp. 94-102, 1998.
- [9] G. He, D. Hirschfeld, J. Cesarano III, and J. Stuecker, "Processing of Silicon Nitride-Tungsten Prototypes," *Ceramic Transactions*, Vol. 114, pp. 325-332, 2000.
- [10] T. Huang, M. S. Mason, G. E. Hilmas, and M. C. Leu, "Freeze-form Extrusion Fabrication of Ceramic Parts," *International Journal of Virtual and Physical Prototyping*, Vol. 1, No. 2, pp. 93-100, 2006.
- [11] M. S. Mason, T. Huang, R. G. Landers, M. C. Leu, and G. E. Hilmas, "Aqueous-Based Extrusion of High Solids Loading Ceramic Pastes: Process Modeling and Control," *Journal of Materials Processing Technology*, Vol. 209, No. 6, pp. 2946-2957, 2009.
- [12] T. Huang, M. S. Mason, G. E. Hilmas, and M. C. Leu, "Aqueous Based Freeze-form Extrusion Fabrication of Alumina Components," *Rapid Prototyping Journal*, Vol. 15, No. 2, pp. 88-95, 2009.
- [13] X. Zhao, R. G. Landers, and M. C. Leu, "Adaptive Extrusion Force Control of Freeze-Form Extrusion Fabrication Processes," *ASME Journal of Manufacturing Science and Engineering*, Vol. 132, No. 6, 2010.
- [14] N. D. Doiphode, T. Huang, M. C. Leu, M. N. Rahaman, and D. E. Day, "Freeze Extrusion Fabrication of 13-93 Bioactive Glass Scaffolds for Bone Repair," *Journal of Material Science: Materials in Medicine*, Vol. 22, No. 3, March 2011.