























exceedingly to one side. Experiments with high-speed cameras will give information about this behavior. We have shown that structures with a high aspect ratio are possible. The 4:1 ratio achieved was only a first test. There is no indication that the ratio is limited by means of the process. The linearity of the structural height with the layers allows a good prediction of the needed height offset per layer, so no measurement needs to be done as an additional process step. Problems of uneven build-up at the ends of the structures have been overcome by bi-directional welding.

The process has shown great potential for ALM but further research has to be performed. As a next step, layers with more seams in a cuboid form will be welded. The process ignition and stopping has to be optimized. Furthermore, seam height and thickness control by welding speed and wire feed rate have to be studied. In order to control the heat distortion the heat management for the workpiece needs to be optimized.

### **Acknowledgments**

Parts of this research and development project is funded by the German Federal Ministry of Education and Research (BMBF) within the Funding Action "SME – Innovative: Research for Production (fund number 02PK2102) and managed by the Project Management Agency Karlsruhe (PTKA). The author is responsible for the contents of this publication.

- [1] Takano et al: *Evaluation of processing parameters on PTA hardfacing surfaces*, Welding International Vol. 24 pp. 241-247 2010
- [2] Wilden, J.; Emmel, A.; Bergmann, J.P.; Dolles, M.: *Optimisation of energy management through Plasma-Augmented-LaserCladding (PALC)*; ITSC 2004: International Thermal Spray Conference 2004 pp. 588-594
- [3] Sequeira Almeida, P.M.; Williams, S.: *Innovative Process Modell of Ti-6Al-4V Additive layerManufacturing using Cold Metal Transfer (CMT)*; SFF Symposium 2010 pp. 25-36
- [4] Hermsdorf, J., Ostendorf, A., Stahlhut, C., Barroi, A., Otte, F., Kling, R., 2008, *Guidance and Stabilisation of Electric Arc Welding Using Nd:YAG Laser Radiation*, PICALO 2008 Paper (707)
- [5] Stute, U.; Kling, R.; Hermsdorf, J.: *Interaction between Electrical Arc and Nd:YAG Laser Radiation*, Annals of the CIRP Vol. 56/1/2007
- [6] Hermsdorf, J., Otte, F., Kling, R.: *Development of the LGS-GMA welding process*, Lasers in Manufacturing 2009
- [7] Barroi, A., Hermsdorf J., Kling, R.: *Development of a Laser-stabilised Gas Metal Arc Cladding Process for Hard Steel Deposition Material*, Proceedings of LPM2010