





















- [2] Gebhardt, A.: Generative Fertigungsverfahren – Rapid Prototyping – Rapid Tooling – Rapid Manufacturing, 3. Edition, Munich, Hanser Publishing, 2007.
- [3] Diller, T.; Sreenivasan, R.; Beaman, J.; Bourell, D.; LaRocco, J.: Thermal model of the build environment for polyamide powder selective laser sintering, In: Bourell, D. (Editor): Proceedings of the 21st Annual International Solid Freeform Fabrication Symposium (SSF 2010): The University of Texas at Austin 2010, pp. 539-548.
- [4] Sauer, A.: Optimierung der Bauteileigenschaften beim Selektiven Lasersintern von Thermoplasten, PhD thesis; University of Duisburg-Essen, 2005.
- [5] N., N.: Einführung in Theorie und Praxis der Infrarot-Thermographie, InfraTec, 2011.
- [6] Keller, B.: Rapid Prototyping: Grundlagen zum selektiven Lasersintern von Polymerpulver, PhD thesis, university of Stuttgart, 1998.
- [7] Nöken, S.: Technologie des Selektiven Lasersinterns von Thermoplasten, PhD thesis, RWTH Aachen, 1997.
- [8] Kosolov, S.; Boillat, E.; Glardon, R.; Fischer, P.; Locher, M.: 3D FE simulation for temperature evolution in the selective laser sintering process, In: International Journal of Machine Tools & Manufacture, 44 (2004), pp. 117-123.
- [9] Wiria, F. E.; Leong, K. F.; Chua, C. K.: Modeling of powder particle heat transfer process in selective laser sintering for fabricating tissue engineering scaffolds, In: Rapid Prototyping Journal, 16 (2010) 6, pp. 400-410.
- [10] Chung, M.; Allanic, A.-L.: Sintern unter Verwendung von Thermobild-Rückkopplung, patent DE102004017769B4, 3D Systems Inc., 2004.
- [11] Andersson, L.-E.; Larsson, M.: Vorrichtung und Anordnung zur Herstellung eines dreidimensionalen Objekts, patent DE60108390T2, Arcam AB, 2001.
- [12] Philippi, J.: Verfahren zum Herstellen eines dreidimensionalen Objekts mittels Lasersintern, patent DE102007056984A1, EOS GmbH, 2007.
- [13] Kruth, J.P.; Mercelis, P.; Van Vaerenbergh, J.; Craeghs, T.: Feedback control of selective laser melting; In: Bartolo, P. J. et al. (Editor): Virtual and Rapid Manufacturing - Advanced Research in Virtual and Rapid Prototyping: Taylor and Francis 2007, pp. 521-527.
- [14] Craeghs, T.; Bechmann, F.; Berumen, S.; Kruth, J.-P.: Feedback control of Layerwise Laser Melting using optical sensors, In: Physics Procedia, 5 (2010), pp. 505-514.
- [15] Berumen, S.; Bechmann, F.; Lindner, D.; Kruth, J.-P.; Craeghs, T.: Quality control of laser- and powder bed-based Additive Manufacturing (AM) technologies, In: Physics Procedia, 5 (2010), pp. 617-622.
- [16] Chivel, Y.; Smurov, I.: On-line temperature monitoring in selective laser sintering/melting, In: Physics Procedia, 5 (2010), pp. 515-521.
- [17] Drummer, D.; Rietzel, D.; Kühnlein, F.: Development of a characterization approach for the sintering behavior of new thermoplastics for selective laser sintering, In: Physics Procedia, 5 (2010), pp. 533-542.
- [18] Bacchewar, P. B.; Singhal, S. K.; Pandey, P. M.: Statistical modeling and optimization of surface roughness in the selective laser sintering process, Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture, 221 (2007) 1, pp. 35-52.
- [19] Kaddar, W.: Die generative Fertigung mittels Laser-Sintern: Scanstrategien, Einflüsse verschiedener Prozessparameter auf die mechanischen und optischen Eigenschaften beim LS von Thermoplasten und deren Nachbearbeitungsmöglichkeiten, PhD thesis, University of Duisburg-Essen, 2010.