

References

- [1] X. Kou and S. Tan, "A Hierarchical Representation for Heterogeneous Object Modeling," *Computer-Aided Design*, Vol. 37, pp. 307-319, 2005.
- [2] A. Xu and L. Shaw, "SFF-Oriented Modeling and Process Planning of Functionally Graded Materials using a Novel Equal Distance Offset Approach," *Proceedings of Solid Freeform Symposium*, Austin, TX, pp. 544-552, 2004.
- [3] T. Jackson, N. Patrikalakis, E. Sachs and M. Cima, "Modeling and Designing Components with Locally Controlled Composition," *Proceedings of Solid Freeform Symposium*, Austin, TX, pp. 259-266, 1998.
- [4] U.S. Pat. No. 5738817, April 14, 1998.
- [5] J. Cesarano III, R. Segalmen, and P. Calvert, "Robocasting Provides Moldless Fabrication from Slurry Deposition," *Ceramics Industry*, Vol. 148, pp. 94-102, 1998.
- [6] E. Malone and H. Lipson, "Fab@Home: the Personal Desktop Fabricator Kit," *Rapid Prototyping Journal*, Vol. 13, No. 4, pp. 245-255, 2007.
- [7] X. Zhao, "Experimental Investigation of Effect of Environmental Temperature on Freeze-form Extrusion Fabrication," Thesis, Missouri University of Science and Technology, Rolla, MO, 2007.
- [8] T. Oakes, P. Kulkarni, R. Landers, and M. Leu, "Development of Extrusion-on-Demand for Freeze-form Extrusion Fabrication Processes," *Proceedings of the 3rd Annual ISC Research Symposium*, Rolla, MO, 2009.
- [9] Zhao, X., Landers, R.G., and Leu, M.C., 2010, "Adaptive Extrusion Force Control of Freeze-form Extrusion Fabrication Processes," *ASME Journal of Manufacturing Science and Engineering*, Vol. 132, No. 6, 064504.
- [10] Mason, M.S., Huang, T., Landers, R.G., Leu, M.C., and Hilmas, G.E., "Aqueous-Based Extrusion of High Solids Loading Ceramic Pastes: Process Modeling and Control," *Journal of Materials Processing Technology*, Vol. 209, No. 6, pp. 2946-2957, 2009.
- [11] M. Mason, T. Huang, M. Leu, R. Landers and G. Hilmas, "Aqueous-Based Extrusion Fabrication of Ceramics on Demand," *Eighteenth Annual Solid Freeform Fabrication Symposium*, Austin, TX, 2007.
- [12] T. Huang, M. Mason, G. Hilmas, and M. Leu, "Aqueous Based Freeze-form Extrusion Fabrication of Alumina Components," *Rapid Prototyping Journal*, Vol. 15, No. 2, pp. 88-95, 2009.
- [13] T. Huang, M. Mason, G. Hilmas, and M. Leu, "Freeze-form Extrusion Fabrication of Ceramic Parts," *International Journal of Virtual and Physical Prototyping*, Vol. 1, No. 2, pp. 93-100, 2006.
- [14] J. Kennedy and R.C. Eberhart, "Particle Swarm Optimization," *IEEE International Conference on Neural Networks*, Perth, Australia, November 27-December 1, pp. 1942-1948, 1995.
- [15] L. Tang, J. Ruan, R. Landers., and F. Liou, "Variable Powder Flow Rate Control in Laser Metal Deposition Processes," *ASME Journal Manufacturing Science and Engineering*, Vol. 130, No. 4, pp. 041016, 2008.