

































- [17] Standard DIN 66133, 1993-06-00: Determination of pore volume distribution and specific surface area of solids by mercury intrusion.
- [18] Bimberg, Dieter (1991): *Materialbearbeitung mit Lasern. Grundlagen und Anwendungen*: Expert Verlag.
- [19] Niu, H. J.; Chang, I. T. H. (2000): Selective laser sintering of gas atomized M2 high speed steel powder. In: *Journal of Materials Science* 35 (1), p. 31–38.
- [20] Lohfeld, S.; et al. (2010): A method to fabricate small features on scaffolds for tissue engineering via selective laser sintering. In: *JBiSE* 03 (02), p. 138–147.
- [21] Fischer, P. et al (2003): Sintering of commercially pure titanium powder with a Nd:YAG laser source. In: *Acta Materialia* 51 (6), p. 1651–1662.
- [22] Li, Ruidi et al. (2010): 316L Stainless Steel with Gradient Porosity Fabricated by Selective Laser Melting. In: *Journal of Materials Engineering and Performance* 19 (5), p. 666–671.
- [23] Williams, Jessica M. et al. (2005): Bone tissue engineering using polycaprolactone scaffolds fabricated via selective laser sintering. In: *Biomaterials* 26 (23), p. 4817–4827.