

REVIEWED



















- [16] Y. Waku, N. Nakagawa, T. Wakamoto, H. Ohtsubo, K. Shimizu and Y. Kohtotu, "A Ductile Ceramic Eutectic Composite with High Strength at 1,873 K," *Nature*, 1997, 389(6646), pp. 49-52.
- [17] T. L. Anderson, *Fracture Mechanics: Fundamentals and Applications*, CRC press, 2005.
- [18] M. L. Griffith, M. E. Schlienger, L. D. Harwell, M. S. Oliver, M. D. Baldwin, M. T. Ensz, M. Essien, J. Brooks, C. V. Robino, J. E. Smugeresky, W. H. Hofmeister, M. J. Wert, D. V. Nelson, "Understanding Thermal Behavior in the LENS Process," *Materials and Design*, 1999, 20, pp. 107-113.
- [19] L. Wang, S. D. Felicelli, P. Pratt, "Residual Stresses in LENS-deposited AISI 410 Stainless Steel Plates," *Material Science and Engineering A*, 2008, 496, pp. 234-241.
- [20] M. Gäumann, S. Henry, F. Cleton, J. D. Wagniere and W. Kurz, "Epitaxial Laser Metal Forming: Analysis of Microstructure Formation," *Materials Science and Engineering: A*, 1999, 271(1), pp. 232-241.
- [21] W. Chen, "Study on the Microstructure Evolution of  $\alpha$ -Al<sub>2</sub>O<sub>3</sub> in the Formation Process and It's Controlling," Central South University, 2010.
- [22] O. Fabrichnaya, H. J. Seifert, T. Ludwig, F. Aldinger and A. Navrotsky, "The Assessment of Thermodynamic Parameters in the Al<sub>2</sub>O<sub>3</sub>-Y<sub>2</sub>O<sub>3</sub> System and Phase Relations in the Y-Al-O System," *Scandinavian Journal of Metallurgy*, 2001, 30(3), pp. 175-183.
- [23] A. Larrea, V. M. Orera, R. I. Merino and J. I. Pena, "Microstructure and Mechanical Properties of Al<sub>2</sub>O<sub>3</sub>-YSZ and Al<sub>2</sub>O<sub>3</sub>-YAG Directionally Solidified Eutectic Plates," *Journal of the European Ceramic Society*, 2005, 25(8), pp. 1419-1429.
- [24] J. Y. Pastor, J. LLorca, A. Salazar, P. B. Oliete, I. D. Francisco and J. I. Pena, "Mechanical Properties of Melt Grown Alumina-Yttrium Aluminum Garnet Eutectics up to 1900 K," *Journal of the American Ceramic Society*, 2005, 88(6), pp. 1488-1495.