

REVIEWED

- [17] Vieira, L. F., and Paggi, R. A., 2012, “Thermal and Dynamic-Mechanical Behavior of Fullcure 3D Printing Resin Post-Cured by Different Methods,” *Innov. Dev. Virtual Phys. Prototyp.*, pp. 385–388.
- [18] Gibson, I., Goenka, G., Narasimhan, R., and Bhat, N., 2010, “Design Rules for Additive Manufacture,” *Solid Freeform Fabrication Symposium*, pp. 705–716.
- [19] Udriou, R., and Mihail, L., 2009, “Experimental Determination of Surface Roughness of Parts Obtained by Rapid Prototyping,” *8th WSEAS International Conference on Circuits, Systems, Electronics, Control and Signal Processing*, pp. 283–286.
- [20] Udriou, R., and Nedelcu, A., 2011, “Optimization of Additive Manufacturing Processes Focused on 3D Printing,” *Rapid Prototyp. Technol. -- Princ. Funct. Requir.*, pp. 1–28.
- [21] Singh, R., 2011, “Process Capability Study of Polyjet Printing for Plastic Components,” *J. Mech. Sci. Technol.*, **25**(4), pp. 1011–1015.
- [22] Singh, R., and Singh, V., 2011, “Experimental Investigations for Rapid Moulding Solution of Plastics Using Polyjet Printing,” *Mater. Sci. Forum*, **701**, pp. 15–20.
- [23] Kim, G. D., and Oh, Y. T., 2008, “A Benchmark Study on Rapid Prototyping Processes and Machines: Quantitative Comparisons of Mechanical Properties, Accuracy, Roughness, Speed, and Material Cost,” *Proc. Inst. Mech. Eng. Part B J. Eng. Manuf.*, **222**(2), pp. 201–215.
- [24] Vayre, B., Vignat, F., and Villeneuve, F., 2012, “Designing for Additive Manufacturing,” *Procedia CIRP*, **3**, pp. 632–637.
- [25] Vayre, B., Vignat, F., and Villeneuve, F., 2013, “Identification on Some Design Key Parameters for Additive Manufacturing: Application on Electron Beam Melting,” *Procedia CIRP*, **7**, pp. 264–269.
- [26] Moylan, S., Slotwinski, J., Cooke, A., Jurens, K., and Donmez, M. A., 2012, “Proposal for a Standardized Test Artifact for Additive Manufacturing Machines and Processes,” *Solid Freeform Fabrication Symposium*, pp. 902–920.