

REVIEWED





















- [6] Wen, S., and Shin, Y. C., "Modeling of transport phenomena during the coaxial laser direct deposition process," *Journal of Applied Physics*, 108, 044908, 2010.
- [7] Qi, H., Mazumder, J., and Ki, H., "Numerical simulation of heat transfer and fluid flow in coaxial laser cladding process for direct metal deposition," *Journal of applied physics*, 100, 024903, 2006.
- [8] Han, L., and Liou, F., "Numerical investigation of the influence of laser beam mode on melt pool," *International journal of heat and mass transfer*, 47(19), pp. 4385-4402, 2004.
- [9] Safdar, S., Pinkerton, A. J., Li, L., Sheikh, M. A., and Withers, P. J., "An anisotropic enhanced thermal conductivity approach for modelling laser melt pools for Ni-base super alloys," *Applied mathematical modelling*, 37(3), pp. 1187-1195, 2013.
- [10] Kamara, A., Wang, W., Marimuthu, S., and Li, L., "Modelling of the melt pool geometry in the laser deposition of nickel alloys using the anisotropic enhanced thermal conductivity approach," *Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture*, 225(1), pp. 87-99, 2011.
- [11] Bernauer, M. K., and Herzog, R., "Optimal control of the classical two-phase Stefan problem in level set formulation," *SIAM Journal on Scientific Computing*, 33(1), pp. 342-363, 2011.
- [12] Volkov, O., and Protas, B., "An inverse model for a free-boundary problem with a contact line: Steady case," *Journal of Computational Physics*, 228(13), pp. 4893-4910, 2009.
- [13] Hinze, M., and Ziegenbalg, S., "Optimal control of the free boundary in a two-phase Stefan problem," *Journal of Computational Physics*, 223(2), pp. 657-684, 2007.
- [14] Vossen, G., and Hermanns, T., "On an optimal control problem in laser cutting with mixed finite-/infinite-dimensional constraints," *Journal of Industrial and Management Optimization*, 10(2), pp. 503-519, 2014.
- [15] Vossen, G., Hermanns, T., and Schüttler, J., "Analysis and optimal control for free melt flow boundaries in laser cutting with distributed radiation," *ZAMM-Journal of Applied Mathematics and Mechanics/Zeitschrift für Angewandte Mathematik und Mechanik*, 2013.
- [16] Volkov, O., Protas, B., Liao, W., and Glander, D. W., "Adjoint-based optimization of thermo-fluid phenomena in welding processes," *Journal of Engineering Mathematics*, 65(3), pp. 201-220, 2009.
- [17] Fathi, A., Khajepour, A., Toyserkani, E., and Durali, M., "Clad height control in laser solid freeform fabrication using a feedforward PID controller," *The International Journal of Advanced Manufacturing Technology*, 35(3-4), pp. 280-292, 2007.
- [18] Toyserkani, E., Khajepour, A., and Corbin, S., "3-D finite element modeling of laser cladding by powder injection: effects of laser pulse shaping on the process," *Optics and Lasers in Engineering*, 41(6), pp. 849-867, 2004.
- [19] Song, L., and Mazumder, J., "Feedback control of melt pool temperature during laser cladding process," *Control Systems Technology, IEEE Transactions on*, 19(6), pp. 1349-1356, 2011.
- [20] Hofman, J., Pathiraj, B., van Dijk, J., de Lange, D., and Meijer, J., "A camera based feedback control strategy for the laser cladding process," *Journal of Materials Processing Technology*, 2012.
- [21] Cao, X., and Ayalew, B., "PDE-based Multivariable Control Input Optimization for Laser-Aided Powder Deposition Processes," *Journal of Manufacturing Science and Engineering*, under review, 2014.
- [22] De Oliveira, U., Ocelik, V., and De Hosson, J. T. M., "Analysis of coaxial laser cladding processing conditions," *Surface and Coatings Technology*, 197(2), pp. 127-136, 2005.
- [23] Tröltzsch, F., *Optimal control of partial differential equations: theory, methods, and applications*, American Mathematical Soc., 2010.