

REVIEWED

7. Lan, P.-T., et al., *Determining fabrication orientations for rapid prototyping with Stereolithography apparatus*. Computer-Aided Design, 1997. **29**(1): p. 53-62.
8. F. Xu, H.T.L., Y.S. Wong, , *Considerations and selection of optimal orientation for different rapid prototyping systems*. Rapid Prototyping Journal, 1999. **5**(2): p. 54 - 60.
9. Singhal, S.K., Pandey, A. P., Pandey, P. M., Nagpal, A. K, , *Optimum Part Deposition Orientation in Stereolithography*. Computer-Aided Design & App, 2005. **2**(1-4): p. 319-328.
10. Frank, D.a.F.G., *Expert system based selection of the preferred direction of build for rapid prototyping*. Journal of Intelligent Manufacturing, 1994. **6**: p. 334-339.
11. Rattanawong, W., S.H. Masood, and P. Iovenitti, *A volumetric approach to part-build orientations in rapid prototyping*. Journal of Materials Processing Technology, 2001. **119**(1-3): p. 348-353.
12. A.P. West, S.P.S., D.W. Rosen, *A process planning method to improve build performance in stereolithography*. Computer Aided Design, 2001. **33**: p. 65-79.
13. Thrimurthulu, K., P.M. Pandey, and N. Venkata Reddy, *Optimum part deposition orientation in fused deposition modeling*. International Journal of Machine Tools and Manufacture, 2004. **44**(6): p. 585-594.
14. W. Cheng, J.Y.H.F., A.Y.C. Nee, Y.S. Wong, H.T. Loh, T. Miyajawa, *Multi-objective optimization of part-building orientation in stereolithography*. Rapid Prototyping Journal 1995. **1**(4): p. 12-23.
15. Po-Ting Lan, S.Y.C., L.L. Chen, D. Gemmill, *Determining fabrication orientation for rapid prototyping with stereolithography apparatus*. Computer Aided Design, 1997. **29**(1): p. 53-62.
16. Hur, J. and K. Lee, *The development of a CAD environment to determine the preferred build-up direction for layered manufacturing*. The International Journal of Advanced Manufacturing Technology, 1998. **14**(4): p. 247-254.
17. Hong-Seok Byun, K.H.L., *Determination of the optimal build direction for different rapid prototyping processes using multi-criterion decision making*. Robotics and Computer-Integrated Manufacturing, 2006. **22**: p. 69-80.
18. Pham DT, D.D., Gault RS. . *Part orientation in stereolithography*. International Journal of Manufacturing Technology, 1999. **15**: p. 674-682.
19. Lin F, S.W., Yan Y. , *Optimization with minimum process error for layered manufacturing fabrication*. Rapid Prototyping Journal, 2001. **7**(1).
20. B. Huang, S.S., *Alternate slicing and deposition strategies for fused deposition modelling of light curved parts*. Journal of Achievement in Materials and Manufacturing Engineering, 2012. **55**(2): p. 511-517.
21. Khoda, A.K.M.B., I.T. Ozbolat, and B. Koc, *Engineered Tissue Scaffolds With Variational Porous Architecture*. Journal of Biomechanical Engineering, 2011. **133**(1): p. 011001.
22. O. S. Es-Said, J.F., R. Noorani, M. Mendelson, R. Marloth, *Effect of Layer Orientation on Mechanical Properties of Rapid Prototyped Samples*. Materials and Manufacturing Processes, 2000. **15**(1): p. 107-122.
23. Khoda, A.K.M.B. and B. Koc, *Functionally heterogeneous porous scaffold design for tissue engineering*. Computer-Aided Design, 2013. **45**(11): p. 1276-1293.