

The research reported here has been supported by a Phase II NASA Innovative Advanced Concept (NIAC) program.

Reference

- [1] A.-M. O. Mohamed and M. El-Gamal, Sulfur concrete for the construction industry: a sustainable development approach. J. Ross Publishing, 2010.
- [2] B. Khoshnevis, M. Bodiford, K. Burks, E. Ethridge, D. Tucker, W. Kim, H. Toutanji, and M. Fiske, “Lunar contour crafting—a novel technique for ISRU-based habitat development,” *Autom. Constr.*, vol. 13(1), no. January, pp. 5–19, 2004.
- [3] B. Khoshnevis, M. Thangavelu, X. Yuan, and J. Zhang, “Advances in Contour Crafting Technology for Extraterrestrial Settlement Infrastructure Buildup,” *AIAA*, vol. 5438, pp. 10–12, 2013.
- [4] P. Bartos, *Fresh concrete: properties and tests*. Elsevier, 2013.
- [5] ABAQUS (2011) `ABAQUS 6.11 Analysis User's Manual'. Online Documentation: Dassault Systèmes.
- [6] Menétrey, Ph., and K. J. Willam, “Triaxial Failure Criterion for Concrete and its Generalization,” *ACI Structural Journal*, vol. 92, pp. 311–318, May/June 1995.