

- [16] Nassar, A. R., Keist, J. S., Reutzel, E. W., Spurgeon, T. J., 2015, “Intra-layer closed-loop control of build plan during directed energy additive manufacturing of Ti–6Al–4V,” *Addit. Manuf.*, **6**, pp. 39–52, doi: 10.1016/j.addma.2015.03.005.
- [17] Liu, S., Farahmand, P., Kovacevic, R., 2014, “Optical monitoring of high power direct diode laser cladding,” *Opt. Laser Technol.*, **64**, pp. 363–376, doi: 10.1016/j.optlastec.2014.06.002.
- [18] Bi, G., Gasser, A., Wissenbach, K., Drenker, A., Poprawe, R., 2006, “Investigation on the direct laser metallic powder deposition process via temperature measurement,” *Appl. Surf. Sci.*, **253** (3), pp. 1411–1416, doi: 10.1016/j.apsusc.2006.02.025.
- [19] Bi, G., Gasser, A., Wissenbach, K., Drenker, A., Poprawe, R., 2006, “Identification and qualification of temperature signal for monitoring and control in laser cladding,” *Opt. Lasers Eng.*, **44** (12), pp. 1348–1359, doi: 10.1016/j.optlaseng.2006.01.009.
- [20] Yang, J., Sun, S., Brandt, M., Yan, W., 2010, “Experimental investigation and 3D finite element prediction of the heat affected zone during laser assisted machining of Ti6Al4V alloy,” *J. Mater. Process. Technol.*, **210** (15), pp. 2215–2222, doi: 10.1016/j.jmatprotec.2010.08.007.
- [21] Doubenskaia, M., Pavlov, M., Grigoriev, S., Smurov, I., 2013, “Definition of brightness temperature and restoration of true temperature in laser cladding using infrared camera,” *Surf. Coatings Technol.*, **220**, pp. 244–247, doi: 10.1016/j.surfcoat.2012.10.044.
- [22] Rodriguez, E., Mireles, J., Terrazas, C. a., Espalin, D., Perez, M. a., Wicker, R. B., 2015, “Approximation of absolute surface temperature measurements of powder bed fusion additive manufacturing technology using in situ infrared thermography,” *Addit. Manuf.*, **5**, pp. 31–39, doi: 10.1016/j.addma.2014.12.001.
- [23] Purtonen, T., Kalliosaari, A., Salminen, A., 2014, “Monitoring and Adaptive Control of Laser Processes,” *Phys. Procedia*, **56**, pp. 1218–1231, doi: 10.1016/j.phpro.2014.08.038.
- [24] Hagqvist, P., Sikström, F., Christiansson, A. K., 2013, “Emissivity estimation for high temperature radiation pyrometry on Ti-6Al-4V,” *Meas. J. Int. Meas. Confed.*, **46** (2), pp. 871–880, doi: 10.1016/j.measurement.2012.10.019.
- [25] Kobryn, P. ., Semiatin, S. ., 2003, “Microstructure and texture evolution during solidification processing of Ti–6Al–4V,” *J. Mater. Process. Technol.*, **135** (2)–(3), pp. 330–339, doi: 10.1016/S0924-0136(02)00865-8.
- [26] Ensz, M., Griffith, M., Harwell, L., “Software Development for Laser Engineered Net Shaping,” in *Proceedings for the Solid Freeform Fabrication Symposium*, 1998, pp. 359–366.
- [27] Timet, “TIMET 6-4 Titanium Alloy (Ti-6Al-4V; ASTM Grade 5) Rod.” .