

Acknowledgements

We acknowledge the support from Dow Corning.

References

- [1] Moretto H, Schulze M, Wagner G, Silicones BE, Hawkins S, Russey W, Schulz G (1993) Ullmann's Encyclopedia of Industrial Chemistry, in, Verlag Chemie: Weinheim, Germany.
- [2] França DCC, De Castro AL, Soubhia AMP, Tucci R, Goiato MC. Biocompatibility evaluation of 3 facial silicone elastomers. *Journal of Craniofacial Surgery*; 2011. 22(3): 837-840.
- [3] Chasan PE. The history of injectable silicone fluids for soft-tissue augmentation. *Plastic and reconstructive surgery*; 2007. 120(7): 2034-2040.
- [4] Saour S, Shaaban H, Mcphail J, Mcarthur P. Customised silicone prostheses for the reconstruction of chest wall defects: technique of manufacture and final outcome. *Journal of Plastic, Reconstructive & Aesthetic Surgery*; 2008. 61(10): 1205-1209.
- [5] Hoque ME, Chuan YL, Pashby I. Extrusion based rapid prototyping technique: an advanced platform for tissue engineering scaffold fabrication. *Biopolymers*; 2012. 97(2): 83-93.
- [6] Landers R, Pfister A, Hübner U, John H, Schmelzeisen R, Mülhaupt R. Fabrication of soft tissue engineering scaffolds by means of rapid prototyping techniques. *Journal of materials science*; 2002. 37(15): 3107-3116.
- [7] Mironov V, Boland T, Trusk T, Forgacs G, Markwald RR. Organ printing: computer-aided jet-based 3D tissue engineering. *Trends in Biotechnology*; 2003. 21(4): 157-161.
- [8] Carvalho C, Landers R, Mülhaupt R. Soft and hard implant fabrication using 3D-Biplotting™.
- [9] Rücker M, Laschke MW, Junker D, Carvalho C, Tavassol F, Mülhaupt R, Gellrich NC, Menger MD. Vascularization and biocompatibility of scaffolds consisting of different calcium phosphate compounds. *Journal of Biomedical Materials Research Part A*; 2008. 86(4): 1002-1011.
- [10] Maher P, Keatch R, Donnelly K, Mackay R, Paxton J. Construction of 3D biological matrices using rapid prototyping technology. *Rapid Prototyping Journal*; 2009. 15(3): 204-210.
- [11] Bettahalli N, Vicente J, Moroni L, Higuera G, Van Blitterswijk C, Wessling M, Stamatialis D. Integration of hollow fiber membranes improves nutrient supply in three-dimensional tissue constructs. *Acta Biomaterialia*; 2011. 7(9): 3312-3324.
- [12] Van Noort R. The future of dental devices is digital. *Dental Materials*; 2012. 28(1): 3-12.
- [13] Jiang C-P, Chen Y-Y. Biofabrication of hybrid bone scaffolds using a dual-nozzle bioplotter and in-vitro study of osteoblast cell. *International Journal of Precision Engineering and Manufacturing*; 2014. 15(9): 1947-1953.
- [14] Dow Corning 890-SL Silicone Joint Sealant. [cited 2012; Available from: http://www.bondedmaterials.net/assets/data/dow_corning_890sl.pdf.
- [15] Yue P, Feng JJ, Liu C, Shen J. A diffuse-interface method for simulating two-phase flows of complex fluids. *Journal of Fluid Mechanics*; 2004. 515: 293-317.
- [16] Olsson E, Kreiss G. A conservative level set method for two phase flow. *Journal of computational physics*; 2005. 210(1): 225-246.