[21] J. Egeblad, B. K. Nielsen, and M. Brazil, “Translational packing of arbitrary polytopes," *Computational Geometry*, vol. 42, no. 4, pp. 269-288, 2009.

[22] S. Jakobs, “On genetic algorithms for the packing of polygons," *European Journal of Operational Research*, vol. 88, no. 1, pp. 165-181, 1996.

[23] I. Ikonen and W. E. Biles, “A genetic algorithm for optimal object packing in a selective laser sintering rapid prototyping machine," in *International conference on flexible automation and intelligent manufacturing*, pp. 751-759, 1997.

[24] K. A. Dowsland, S. Vaid, and W. B. Dowsland, “An algorithm for polygon placement using a bottom-left strategy," *European Journal of Operational Research*, vol. 141, no. 2, pp. 371-381, 2002.

[25] Y. Stoyan, M. Gil, A. Pankratov, and G. Scheithauer, “Packing non-convex polytopes into a parallelepiped," *Preprint MATH-NM-06-2004: Technische Universität of Dresden*, 2004.

[26] R. Hague, I. Campbell, and P. Dickens, “Implications on design of rapid manufacturing," *Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science*, vol. 217, no. 1, pp. 25-30, 2003.

[27] B. Valentan, T. Brajlih, I. Drstvenšek, and J. Balič, “Development of a part-complexity evaluation model for application in additive fabrication technologies," *Strojniški vestnik-Journal of Mechanical Engineering*, vol. 57, no. 10, pp. 709-718, 2012.

[28] N. Hopkinson and P. Dicknes, “Analysis of rapid manufacturing - using layer manufacturing processes for production," *Proceedings of the Institution of Mechanical Engineers*, Part C: Journal of Mechanical Engineering Science, vol. 217, no. 1, pp. 31-39, 2003.

[29] S. Szykman and J. Cagan, “Constrained three-dimensional component layout using simulated annealing," *Journal of Mechanical Design*, vol. 119, no. 1, pp. 28-35, 1997.

[30] S. Yin and J. Cagan, “Exploring the effectiveness of various patterns in an extended pattern search layout algorithm," *Journal of Mechanical Design*, vol. 126, no. 1, pp. 22-28, 2004.

[31] J. Cagan, D. Degentesh, and S. Yin, “A simulated annealing-based algorithm using hierarchical models for general three-dimensional component layout," *Computer-aided design*, vol. 30, no. 10, pp. 781-790, 1998.

[32] A. Panesar, D. Brackett, I. Ashcroft, R. Wildman and R. Hague. “Design Optimization Strategy for Multifunctional 3D Printing,” Proceeding of the Solid Freeform Fabrication Symposium, Austin, Texas, 2014.