































## References

- [1] Choi J. G., and Yang, M. Y, "In-Process Prediction of Cutting Depths in End Milling," *Int. J. Mach. Tools Manuf.*, 39(5), pp. 705–721. [Inspec] [ISI] , 1999
- [2] Yang Liuqing, DeVor Richard, Kapoor Shiv, "Analysis of Force Shape Characteristics and Detection of Depth-of-Cut Variations in End Milling," *J. Manuf. Sci. Eng.* 127, 454 , DOI:10.1115/1.1947207, 2005.
- [3] Wan M., W.H. Zhang, "Efficient algorithms for calculations of static form errors in peripheral milling," *Journal of Materials Processing Technology* 171, 156–165, 2006.
- [4] Li, H., and Shin, Y. C., "A Time-domain Dynamic Model for Chatter Prediction of Cylindrical Plunge Grinding Processes," *ASME J. Manuf. Sci. Eng.*, (in press), 2006.
- [5] Yonggang Kang, Wang Zhongqi, Wu Jianjun, and Jiang Chengyu, "Numerical prediction of static form errors in the end milling of thin-walled workpiece," *IET Conf. Pub.* 816, DOI:10.1049/cp:20060872, 2006.
- [6] Prickett, Paul, Siddiqui, Raees, Grosvenor, Roger , "The development of an end-milling process depth of cut monitoring system," *The International Journal of Advanced Manufacturing Technology*, 10.1007/s00170-010-2711-6, 2010.
- [7] ISO 8688-2, (1989). *Tool Life Testing in Milling – Part 2: End Milling*. International Standard, first edition.