

- [6] D. Tomus, T. Jarvis, X. Wu, J. Mei, P. Rometsch, E. Hery, J.-F. Rideau, and S. Vaillant, “Controlling the Microstructure of Hastelloy-X Components Manufactured by Selective Laser Melting,” *Physics Procedia*, vol. 41, pp. 816–820, Jan. 2013.
- [7] R. Engeli, T. Etter, S. Hövel, and K. Wegener, “Processability of different IN738LC powder batches by selective laser melting,” submitted to *Journal of Materials Processing Technology*
- [8] N. L. Richards and M. C. Chaturvedi, “Effect of minor elements on weldability of nickel base superalloys,” *International Materials Reviews*, vol. 45, no. 3, pp. 109–129, Mar. 2000.
- [9] L. E. Rickenbacher, “Additive Reparaturstrategien für Strömungsmaschinenkomponenten,” ETH Zürich, Zürich, 2012.
- [10] C. A. Schneider, W. S. Rasband, and K. W. Eliceiri, “NIH Image to ImageJ: 25 years of image analysis,” *Nature methods*, vol. 9, no. 7, pp. 671–675, 2012.
- [11] X. He and J. Mazumder, “Transport phenomena during direct metal deposition,” *Journal of Applied Physics*, vol. 101, no. 5, p. 053113, 2007.
- [12] C. Panwisawas, C. L. Qiu, Y. Sovani, J. W. Brooks, M. M. Attallah, and H. C. Basoalto, “On the role of thermal fluid dynamics into the evolution of porosity during selective laser melting,” *Scripta Materialia*, vol. 105, pp. 14–17, Aug. 2015.
- [13] *Alloy IN-738 Technical Data*, vol. INCO Report 497. One New York Plaza, New York, USA: The International Nickel Company Inc., 1981.
- [14] H. Q. Zhu, S. R. Guo, H. R. Guan, Y. X. Zhu, Z. Q. Hu, Y. Murata, and M. Morinaga, “The effect of silicon on the microstructure and segregation of directionally solidified IN738 superalloy,” *Materials at high temperatures*, vol. 12, no. 4, pp. 285–291, 1994.
- [15] M. Wolf, “Zur Phänomenologie der Heissrissbildung beim Schweißen und Entwicklung aussagekräftiger Prüfverfahren,” Wirtschaftsverl. NW, Verl. für Neue Wiss., Bremerhaven, 2006.
- [16] F. Tancret, “Thermo-Calc and Dictra simulation of constitutional liquation of gamma prime (γ') during welding of Ni base superalloys,” *Computational Materials Science*, vol. 41, no. 1, pp. 13–19, Nov. 2007.
- [17] M. Rappaz, A. Jacot, and W. J. Boettinger, “Last-stage solidification of alloys: Theoretical model of dendrite-arm and grain coalescence,” *Metallurgical and Materials Transactions A*, vol. 34, no. 3, pp. 467–479, Mar. 2003.
- [18] N. Wang, S. Mokadem, M. Rappaz, and W. Kurz, “Solidification cracking of superalloy single- and bi-crystals,” *Acta Materialia*, vol. 52, no. 11, pp. 3173–3182, Jun. 2004.
- [19] R. Engeli, T. Etter, and H. Meidani, “Gamma prime precipitation strengthened nickel-base superalloy for use in powder based additive manufacturing process,” Patent EP2886225 (A1), 24-Jun-2015.