





















- [4] P. Reeves, C. Tuck, R. Hague, Additive Manufacturing for Mass Customization, in: F.S. Fogliatto, G.J.C. da Silveira (Eds.), *Mass Customization Engineering and Managing Global Operations*, Springer London, London, 2011: pp. 275–290. doi:10.1007/978-1-84996-489-0.
- [5] J.-P. Kruth, P. Mercelis, J. Van Vaerenbergh, L. Froyen, M. Rombouts, Binding mechanisms in selective laser sintering and selective laser melting, *Rapid Prototyping Journal*. 11 (2005) 26–36. doi:10.1108/13552540510573365.
- [6] R.D. Goodridge, C.J. Tuck, R.J.M. Hague, Laser sintering of polyamides and other polymers, *Progress in Materials Science*. 57 (2012) 229–267. doi:10.1016/j.pmatsci.2011.04.001.
- [7] U. Ajoku, N. Hopkinson, M. Caine, Experimental measurement and finite element modelling of the compressive properties of laser sintered Nylon-12, *Materials Science and Engineering: A*. 428 (2006) 211–216. doi:10.1016/j.msea.2006.05.019.
- [8] U. Ajoku, N. Saleh, N. Hopkinson, R.J.M. Hague, P. Erasenthiran, Investigating mechanical anisotropy and end-of-vector effect in laser-sintered nylon parts, *Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture*. 220 (2006) 1077 – 1086.
- [9] T. Jollivet, a. Darfeuille, B. Verquin, S. Pillot, Rapid manufacturing of polymer parts by selective laser sintering, *International Journal of Material Forming*. 2 (2009) 697–700. doi:10.1007/s12289-009-0604-8.
- [10] A. Amado-Becker, J. Ramos-Grez, M.J. Yañez, Y. Vargas, L. Gaete, Elastic tensor stiffness coefficients for SLS Nylon 12 under different degrees of densification as measured by ultrasonic technique, *Rapid Prototyping Journal*. 14 (2008) 260–270. doi:10.1108/13552540810907929.
- [11] W. Cooke, R.A. Tomlinson, R. Burguete, D. Johns, G. Vanard, Anisotropy, homogeneity and ageing in an SLS polymer, *Rapid Prototyping Journal*. 17 (2011) 269–279. doi:10.1108/13552541111138397.
- [12] Y. Guo, K. Jiang, D.L. Bourell, Accuracy and mechanical property analysis of LPA12 parts fabricated by laser sintering, 42 (2015) 175–180.
- [13] B. Caulfield, P.E.E. McHugh, S. Lohfeld, Dependence of mechanical properties of polyamide components on build parameters in the SLS process, *Journal of Materials Processing Technology*. 182 (2007) 477–488. doi:10.1016/j.jmatprotec.2006.09.007.
- [14] J.D. Williams, C.R. Deckard, Advances in modeling the effects of selected parameters on the SLS process, *Rapid Prototyping Journal*. 4 (1998) 90–100. doi:10.1108/13552549810210257.
- [15] S. Cahill, S. Lohfeld, P.E. McHugh, Finite element predictions compared to experimental results for the effective modulus of bone tissue engineering scaffolds fabricated by selective laser sintering., *Journal of Materials Science. Materials in Medicine*. 20 (2009) 1255–62. doi:10.1007/s10856-009-3693-5.
- [16] W. Cooke, R.A. Tomlinson, R. Burguete, D. Johns, G. Vanard, C. Featherston, Using Selective Laser Sintering to produce Scaled Structural Models, in: *Proceedings of the SEM Annual Conference*, Albuquerque New Mexico, 2009.
- [17] P. Lava, S. Cooreman, S. Coppieters, M. De Strycker, D. Debruyne, Assessment of measuring errors in DIC using deformation fields generated by plastic FEA, *Optics and Lasers in Engineering*. 47 (2009) 747–753. doi:10.1016/j.optlaseng.2009.03.007.
- [18] Y. Wang, P. Lava, S. Coppieters, M. De Strycker, P. Van Houtte, D. Debruyne, Investigation of the uncertainty of DIC under heterogeneous strain states with numerical tests, *Strain*. 48 (2012) 453–462. doi:10.1111/j.1475-1305.2012.00840.x.
- [19] M.T. Huber, The theory of crosswise reinforced ferroconcrete slabs and its application to various constructional problems involving rectangular slabs, *Der Bauingenieur*. 4 (1923) 354–360.
- [20] M.A. Stephens, EDF Statistics for Goodness of Fit and Some Comparisons, *Journal of the American Statistical Association*. 69 (1974) 730–737. doi:10.1080/01621459.1974.10480196.
- [21] F. Pierron, M. Grédiac, *The Virtual Fields Method*, Springer New York, New York, NY, 2012. doi:10.1007/978-1-4614-1824-5.