

The future works of this study include testing different combinations of the materials to generalize the rule of mixtures model, investigating the failure mechanism of the composites, and exploring a hybrid manufacturing process to build the composites at a time without manual operations in molding.

Acknowledgments

This research is supported by the National Science Foundation grant #1522877. The authors would also like to acknowledge the material supports from Dow Corning.

References

1. Hung, K.C., Tseng, C.S., and Hsu, S.H., *Synthesis and 3D printing of biodegradable polyurethane elastomer by a water-based process for cartilage tissue engineering applications*. *Adv Healthc Mater*, 2014. **3**(10): p. 1578-87.
2. Wong, K.V. and Hernandez, A., *A Review of Additive Manufacturing*. *ISRN Mechanical Engineering*, 2012. **2012**: p. 1-10.
3. Kruth, J.P., Leu, M.C., and Nakagawa, T., *Progress in Additive Manufacturing and Rapid Prototyping*. *CIRP Annals - Manufacturing Technology*, 1998. **47**(2): p. 525-540.
4. Donald A. Klosterman, Richard P. Chartoff, Brian Priore, Nora Osborne, George Graves, Allan Lightman, Sung S. Pak, and Weaver, J., *Structural Composites via Laminated Object Manufacturing (LOM)*, in *Solid Freeform Fabrication Symposium*. 1996. p. 105-116.
5. Kruth, J.P., Levy, G., Klocke, F., and Childs, T.H.C., *Consolidation phenomena in laser and powder-bed based layered manufacturing*. *CIRP Annals - Manufacturing Technology*, 2007. **56**(2): p. 730-759.
6. Kyogoku, H., Ramos, J.A., and Bourell, D.L., *Laser Melting of Ti-Ni Shape Memory Alloy*, in *Solid Freeform Fabrication Symposium*. 2002: Austin. p. 668-675.
7. Gu, D., Shen, Y., Fang, S., and Xiao, J., *Metallurgical mechanisms in direct laser sintering of Cu-CuSn-CuP mixed powder*. *Journal of Alloys and Compounds*, 2007. **438**(1-2): p. 184-189.
8. Hon, K.K.B. and Gill, T.J., *Selective Laser Sintering of SiC/Polyamide Composites*. *CIRP Annals - Manufacturing Technology*, 2003. **52**(1): p. 173-176.
9. Chung, H. and Das, S., *Processing and properties of glass bead particulate-filled functionally graded Nylon-11 composites produced by selective laser sintering*. *Materials Science and Engineering: A*, 2006. **437**(2): p. 226-234.
10. ASTM, *Standard Test Method for Flexural Properties of Polymer Matrix Composite Materials*.
11. ASTM, *Standard Test Method for Flexural Toughness and First-Crack Strength of Fiber-Reinforced Concrete*.
12. Kim, H.S., *On the rule of mixtures for the hardness of particle reinforced composites*. *Materials Science and Engineering: A*, 2000. **289**(1-2): p. 30-33.